

# SAS-TENTS




Chinese English French German Hungarian Italian Russian Slovenian **Spanish** Turkish

---

mobile space solutions  
[www.r-zs.com](http://www.r-zs.com)

---



# RÖDER SAS REQUERIMIENTOS Y SOLUCIONES

20.000 m<sup>2</sup>

AREA ÚTIL

1,5 años

PLAZO

4.000 pax

Tipo de suelo

Tierra

170 ud. SAS 35

TIPO DE TIENDA

Campo de refugiados y emergencias en África

3.000 m<sup>2</sup>

AREA ÚTIL

1 semana

PLAZO

Tipo de suelo

césped

42 ud. SAS 24

TIPO DE TIENDA

Sleep and bedding down store  
SPECIAL FEATURES

Campamento de verano para 200 niños y adolescentes en Alemania

2.000 m<sup>2</sup>

AREA ÚTIL

Zona terremoto Italia

ÁREA APLICACIÓN

45 ud. SAS 24

30 ud. SAS 35

TIPO DE TIENDA

2 Days

WORK TIME

Acomodo de emergencia en zona de desastre natural



300 m<sup>2</sup>  
ÁREA ÚTIL

3 semanas  
PLAZO

50  
PERSONAS

Nieve y hielo -12°Centígrados  
CONDICIONES CLIMATOLÓGICAS

5 x SAS 60  
TIPO DE TIENDA

Calefacción  
EQUIPAMIENTO

Campo base (cocinas y almacenes) para  
una expedición internacional al Nepal

700 m<sup>2</sup>  
ÁREA ÚTIL

Venta y mantenimiento  
REQUERIMIENTOS

10 UD SAS 56  
TIPO DE TIENDA

Aire acondicionado e  
iluminación  
EQUIPAMIENTO

Instalación de zonas de venta y  
mantenimiento en el evento ADAC

Rápida instalación  
REQUISITO IMPRESCINDIBLE

Róbustas, sólidas y  
resistentes  
MATERIAL

Zonas catastróficas y/o en  
guerra en todo el mundo  
CAMPO DE APLICACIÓN

Varios modelos SAS Tents  
TIPO DE TIENDA

Tiendas para los equipos de  
mantenimiento, médicos y almacenes  
para unidades militares



## » PROTECCIÓN Y MULTIFUNCIONAL

Las tiendas RÖDER SAS son adecuadas para situaciones excepcionales porque son fuertes, de construcción robusta y facilidad de uso: La solución de espacio perfecta para todos los ejércitos y organizaciones de ayuda.





---

## RÖDER SAS-TENTS

---

### RAPIDAS Y FÁCILES

---

Las multifuncionales TENTS RÖDER SAS son la solución de espacio ideales para el ejército, ONG's y otros organismos que deban trabajar al aire libre gracias a las diferentes versiones. Un producto de calidad: armaduras de aluminio anodizado y componentes robustos, tales como los conectores de aluminio fundido a presión son la garantía de fácil manejo y larga vida. Debido a su diseño sofisticado, las tiendas SAS pueden ser reinstaladas rápidamente, en casi cualquier lugar y en un tiempo muy corto. Especialmente en situaciones geográficamente complicadas y bajo condiciones climáticas extremas, el sistema proporciona protección y seguridad.

Como un sistema universal tiene incontables aplicaciones. Principalmente se utiliza en grupos scouts, como zona de protección para la policía, bomberos y organismos de socorro, así como para las zonas con necesidades humanitarias y militares. Las tiendas SAS de RÖDER convencerán técnica y económicamente.

Ven y hablemos personalmente, para encontrar qué producto o sistema responde mejor a tus necesidades. El equipo de RÖDER está preparado para ayudarte a encontrar la tienda perfecta para tí.

## » RESISTENTES Y OPORTUNAS

Las RÖDER SAS TENTS están caracterizadas por su propiedad modular. Varias tiendas de campaña del mismo ancho se pueden conectar muy rápido.





POSSIBLE APPLICATIONS

**TEAM TENT** **BASE CAMP** **KITCHEN** **COMMAND CENTER** **PROTECTION TENT** **MATERIAL STORAGE** **ACCOMODATION TENT** **PLANING TENT** **WORKSHOP** **OFFICE** **MAINTENCE HALL** **MEDICAL TENT** **FIRE DEPARTMENT** **EMERGENCY TENT** **WEATHER PROTECTION** **HUMANITARIAN MISSIONS** **GARAGE** **DORM** **MILITARY OPERATIONS** **POLICE** **YOUTH FACILITY**

## PEQUEÑO VOLÚMEN DE EMBALAJE

Los sacos para embalaje, incluidos para la armadura, las lonas y las pequeñas piezas aseguran un transporte sin problemas gracias a sus dimensiones manejables. Ello prolonga la vida de las RÖDER SAS TENTS y asegura una logística rápida y fácil.


VERSÁTIL Y  
MODULAR



---

DURA EN LA DIFICULTAD  
CONFORTABLE EN LA APLICACIÓN

---










## RÖDER SAS 24/25/34/35/45/48/56/60

### DATOS TÉCNICOS


TIPO	MEDIDAS (Ancho x Fondo x Alt.lat)	PESO TOTAL LONA + ARMADURA	ALTURA MÁXIMA	SUPERFICIE
SAS 24	4,75 x 5,0 x 1,7 m	31 kg + 31 kg = 62 kg	2,5 m	24 m <sup>2</sup>
SAS 25	5,0 x 5,0 x 1,9 m	35 kg + 32 kg = 67 kg	2,7 m	25 m <sup>2</sup>
SAS 34	5,65 x 6,0 x 1,7 m	31 kg + 42 kg = 81 kg	2,7 m	34 m <sup>2</sup>
SAS 35	5,9 x 6,0 x 1,9 m	45 kg + 43 kg = 88 kg	2,9 m	35 m <sup>2</sup>
SAS 45	5,65 x 8,0 x 1,7 m	53 kg + 54 kg = 107 kg	2,7 m	45 m <sup>2</sup>
SAS 48	5,9 x 8,0 x 1,9 m	61 kg + 56 kg = 117 kg	2,9 m	47 m <sup>2</sup>
SAS 56	5,65 x 10,0 x 1,7 m	64 kg + 65 kg = 129 kg	2,7 m	57 m <sup>2</sup>
SAS 60	5,9 x 10,0 x 1,9 m	74 kg + 68 kg = 142 kg	2,9 m	59 m <sup>2</sup>

## DESPIECE




### SAS 24 (SAS 25)

6 correas de 244 cm	6 nudos de 3 conexiones
6 correas de 194 cm	3 nudos de 4 conexiones
6 patas de 173 de (194 cm)	6 piquetas
Componente más largo 244 cm	




### SAS 34 (SAS 35)

8 correas de 244 cm	6 nudos de 3 conexiones
9 correas de 194 cm	6 nudos de 4 conexiones
8 patas de 173 de (194 cm)	8 piquetas
Componente más largo 244 cm	



### SAS 45 (SAS 48)

10 bars @ 244 cm	6 three-arm die-cast connector
12 bars @ 194 cm	9 four-arm die-cast connector
10 stakes @ 173 cm (194 cm)	10 pegs
Longest component: 244 cm	



### SAS 56 (SAS 60)

12 bars @ 244 cm	6 three-arm die-cast connector
15 bars @ 194 cm	12 four-arm die-cast connector
12 stakes @ 173 cm (194 cm)	12 pegs
Longest component: 244 cm	

## QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



## EQUIPMENT FEATURES

---

### FLEXIBLE AND ROBUST

---

#### SAFETY FIRST

The RÖDER SAS-TENTS can be quickly and easily assembled and disassembled by stable and solid connection elements. The well-designed combination of supporting and connecting elements guarantees a proven high level of structural stability. Many optional pieces of equipment and tent components can be added to the standard scope of delivery.



#### 1. Stability

RÖDER guarantees a high level of stability on almost any terrain.

#### 2. Plug connections

Easy installation by plug-in system, interior partitions can be installed with the grid

#### 3. Die-cast aluminum connections

The original aluminium die-cast connections

#### 4. Accessories

Bag system for safe and gentle way to transport

#### 5. Special equipment

Exclusive accessories such as interior partitions and storm bracing



#### INCLUDED IN DELIVERY

Frame construction made of anodized aluminium-round tube 40 x 1,5 mm; Pegs included

2 gables, loosely mountable, 1 roof tarpaulin

2 entrances | 2 windows (4 pieces at the length of 8 and 10 m)

Robust die-cast plug-in connections

PVC-fouling strip

Pack sacks for frame, tarpaulins and small parts

#### SPECIAL EQUIPMENT

Floors

Interior partitions

Complete tarpaulins in PVC execution

Storm bracing

Lateral entrance

#### DESCRIPTION OF FRAME MATERIAL

Round tube made of anodized aluminum (40 x 1,5 mm)

Connector made of aluminum die-cast


#### DESCRIPTION OF TARPAULIN MATERIAL

Cotton polyester, 50% cotton, 50% polyester

Area weight 420 g/m<sup>2</sup>

Tarpaulins manufactured according to EN 15619

4.



5.



# TECHNICAL FEATURES

## DECADES OF EXPERIENCE

The RÖDER Group uses only the most qualified staff, the best materials and constantly draws on its decades of experience in the field of temporary accommodation – right from the very start of the construction and production process of the tent and marquee systems. We achieve high customer satisfaction through quality and safety. Continuous and reliable quality management means we can place our trust in the materials we use. The RÖDER Group is certified according to the European standards EN ISO 9001:2008 and EN ISO 14001:2009. All structures are calculated and tested in accordance with the European standard EN 13782.

---

## DURABLE AND HIGH-QUALITY

---



---

## SUSTAINABLE AND ECOLOGICAL

---




---

### BENEFITS AND ADDED VALUE OVERVIEW

**EASY AND FAST INSTALLATION**  
**LOW PACK-VOLUME AND PACKSACK**  
**HIGH-QUALITY COTTON-POLYESTER TARPAULIN**  
**QUALITY AND SAFETY CERTIFIED**  
**ADAPTED TO NEEDS OF AID ORGANIZATIONS**  
**ENGINEERED AND MADE IN GERMANY**  
**ROBUST BY ALUMINIUM DIE-CAST CONNECTIONS**  
**LIGHT WEIGHT HIGH STABILITY**  
**EXCELLENT VALUE FOR MONEY**  
**BREATHABLE AND ROTTING-RESISTANT**  
**TENT ENTRANCE BOTH SIDES POSSIBLE**  
**DURABLE AND HIGH QUALITY MATERIALS**  
**DIVERSE APPLICATION POSSIBILITIES**  
**FAST AND CHEAP SPARE PARTS SERVICE**  
**FLEXIBLE AND MODULAR EQUIPMENT**  
**TENTS OF THE SAME SPAN CAN BE CONNECTED**







ISO 9001:2008  
 ISO 14001:2009  
 REGISTERED FIRM

## QUALITY MANAGEMENT

---

**ENGINEERED IN  
 GERMANY**

---

**IN ALL PROCESSES, WE ENSURE THAT THE HIGHEST QUALITY AND SAFETY STANDARDS ARE COMPLIED WITH IN ORDER TO PROTECT OUR CUSTOMERS AND TO OFFER THEM THE BEST-LOOKING PRODUCT WITH THE BEST MATERIALS. THIS IS WHY QUALITY, SAFETY AND DURABILITY ARE FIRM COMPONENTS OF RÖDER'S COMPANY CULTURE.**

In order to optimise production and business processes and to maintain all safety guidelines so as to guarantee product quality and customer satisfaction, the RÖDER Group employs consistent, sustainable and thorough quality management. The concept of our quality management is based on internal and external input. All relevant processes are defined and documented – from the design phase, material selection and project planning right up to when the tent and marquee systems are given to the customers. As a high-end manufacturer, 'Engineered in Germany' and 'Made by RÖDER' is our promise of quality to our customers. Both our design expertise and quality management are therefore pivotal for the success of our products and trust of our customers.


The quality management systems, which are tested and certified in accordance with the European standards **EN ISO 9001:2008** and **EN ISO 14001:2009**, relate to the design, construction, production, sale and hiring out of RÖDER tent and marquee systems. In order to guarantee the quality promised by the RÖDER Group, all members of staff take part in regular external and internal training on quality and safety. All our temporary accommodation is inspected by TÜV in terms of construction, structure and the tarpaulins. In addition, the company receives external advice and supervision from Bavarian-based company inspectors, the **LGA (Landesgewerbeamt Bayern)**.

<p>ARGENTINA (RÖDER PARTNER) <b>1</b>            Roggerone SRL,            Av. Santa Fé 2665-1640 Martinez,            Pcia de Buenos Aires, Argentina            Fon + 54 11 47 92 54 22            Fax + 54 11 47 93 41 13            info@r-zs.com</p>	<p>CZECH REPUBLIC <b>7</b>            (RÖDER in Czech Republic)            Marie Kršňákové 119            403 17 Chabařovice, Czech Republic            Fon + 42 04 75 21 47 93 4            Fax + 42 04 75 21 47 93            www.roeder.cz            info@r-zs.com</p>	<p>ITALY (RÖDER Italia SRL) <b>13</b>            Bahnhofstrasse 27/a Via Stazione            IT-39042 Brixen, Italy            Fon + 39 04 72 83 09 39            Fax + 39 04 72 83 29 09            italia@r-zs.com</p>	<p>SWEDEN (RÖDER PARTNER) <b>20</b>            One4Event AB            Hemgatan 2            SE-78473 Borlänge, Sweden            Fon +46 24 37 94 36 0            Fax +46 24 37 94 36 9            www.one4event.com            info@r-zs.com</p>
<p>AUSTRIA (RÖDER in Austria) <b>2</b>            Mitteweg 8            AT-4175 Herzogsdorf, Austria            Fon + 43 7 23 13 30 93            Fax + 43 7 23 13 30 93            www.r-zs.at            info@r-zs.com</p>	<p>FRANCE (RÖDER France SARL) <b>8</b>            ZI No. 2 - 28, Allée Monge            FR-60 000 Beauvais, France            Fon + 33 3 44 02 88 77            Fax + 33 3 44 05 39 26            info@roder.fr</p>	<p>NEW ZEALAND (RÖDER PARTNER) <b>14</b>            H-Line Structures            9A Taylor Rd            NZ-Papamoa, Bay of Plenty 3118,            New Zealand            Fon +61 74 63 52 69 4            Fax +61 74 63 53 64 9            www.hlinestructures.com.au            info@r-zs.com</p>	<p>SWITZERLAND (RÖDER PARTNER) <b>21</b>            Orgatent AG            Gewerbe Badhus            CH-6022 Grosswangen, Switzerland            Fon + 41 4 19 80 49 39            Fax + 41 4 19 80 49 19            www.orgatent.ch            info@orgatent.ch</p>
<p>AUSTRALIA (RÖDER PARTNER) <b>3</b>            H-Line Structures Australia            P.O. Box 8009, Toowoomba            AU-4350 Queensland, Australia            Fon + 61 75 44 51 30 0            Fax + 61 75 44 58 02 7            www.hlinestructures.com.au            info@r-zs.com</p>	<p>GERMANY ( RÖDER ) <b>9</b>            Zelt- und Veranstaltungsservice GmbH            Am Lautenstein, 63654 Büdingen            Fon + 49 60 49 700 0            Fax + 49 60 49 700 339            www.r-zs.com            info@r-zs.com</p>	<p>ROMANIA (RÖDER in Romania) <b>15</b>            Str. Buzești Nr. 61, Et. 7, Ap. 48-49,            Sector 1,            RO-011013 Bukarest, Romania            Fon + 40 21 31 10 01 1            Fax + 40 21 31 10 01 1            www.roeder.ro            info@r-zs.com</p>	<p>TURKEY (RÖDER PARTNER) <b>22</b>            RÖDER Yapı Sistemleri San. Tic. Ltd. Sti            Yeniyol Sokak, No:16 Etap, Blokları,            A Blok 5. Kat, Daire:12 Acıbadem Kadıköy,            TR-34718 Istanbul, Turkey            Fon + 90 21 63 40 89 10            Fax + 90 21 63 40 89 15            www.roder.com.tr            info@roder.com.tr</p>
<p>CHILE (RÖDER PARTNER) <b>4</b>            Armando Pucci, General manager            of Bodegajes Temporales Limitada            Patricia Viñuela 578-C            CL-Lampa Santiago, Chile            Fon + 54 11 47 92 54 22            Fax + 54 11 47 93 41 13            www.armandopucci.cl            info@r-zs.com</p>	<p>GREECE (RÖDER PARTNER) <b>10</b>            Con.Tent Ltd.            Kifissias Avenue 198            GR-15231 Halandra-Athens, Greece            Fon + 30 21 06 75 47 20            Fax + 30 21 06 75 47 22            info@r-zs.com</p>	<p>RUSSIAN FEDERATION (RÖDER RUSSIA) <b>16</b>            RÖDER OOO            v. Chernaya Gryaz, 5A, Solnechnogorskiy area,            region moscow,            RU-141580 Moskau, Russian Federation,            Fon + 7 495 785 81 57            Fax + 7 495 785 81 58            www.roder.ru            roder@roder.ru</p>	<p>UKRAINE (RÖDER PARTNER) <b>23</b>            Tent Plettac Ltd.            Plodova Str., 1            UA-4128 Kyiv, Ukraine            Fon +38 044 400 0461            Fax +38 044 422 2145            www.tent-plettac.com            info@tent-plettac.com</p>
<p>CHINA (PEKING) <b>5</b>            RÖDER Tent Service (Beijing) CO., Ltd            Rm. 311 Sanchuan Dasha            3 Hepingli Xijie, Chaoyang Qu            100013 BEIJING, P. R. China            Fon + 86 10 64 40 55 - 71   -72            Fax + 86 10 64 40 52 19            www.roder-china.com            info@roder-china.com</p>	<p>GUATEMALA <b>11</b>            (RÖDER in Guatemala)            Apartado Postal 176 "C",            C.C. Metro 15 Zona 15            GT-01015 Guatemala C.A.,            Guatemala            Fon + 50 2 50 16 0 78 0            Fax + 50 2 23 69 8 55 0            info@r-zs.com</p>	<p>SINGAPORE (RÖDER PARTNER) <b>17</b>            SebSat pte Ltd.            Sebening Sattar Tent Events            52 Sungei Kadut Street 1, SG-729355            Singapore            Fon + 65 67 76 88 70            Fax + 65 67 76 87 73            info@r-zs.com</p>	<p>UNITED KINGDOM RÖDER UK Ltd. <b>24</b>            Unit 16 Earith Business Park            Meadow Drove, Earith, Cambridgeshire            GB-PE28 3QF, United Kingdom            Fon + 44 14 87 84 08 40            Fax + 44 14 87 84 08 43            www.roderuk.com            sales@roderuk.com</p>
<p>CHINA (SHANGHAI) <b>6</b>            RÖDER Tent Service (Shanghai) CO., Ltd            No. 3978 Hu Qingping Road,            Qingpu district,            CN-201703 Shanghai, China            Fon + 86 21 51 09 92 28            Fax + 86 21 39 81 26 07            www.roder-china.com            info@roder-china.com</p>	<p>HUNGARY <b>12</b>            RÖDER GmbH Magyarországi            Közvetlen Kereskedelmi, Képviselete            Széchenyi tér 21-23 II/6            HU-6900 Makó,            Hungary   Magyarország            Fon + 36 62 21 20 71            Fax + 36 62 21 20 71            www.roeder.hu            info@r-zs.com</p>	<p>SLOVENIA (RÖDER PARTNER) <b>18</b>            Expo Biro Ltd., Puhova 20            SL-2000 Maribor, Slovenia            Fon + 38 62 48 05 80 0            Fax + 38 62 48 05 80 20            info@r-zs.com</p>	<p>USA (RÖDER PARTNER) <b>25</b>            Anchor Industries Inc.            1100 Burch Dr., P.O. Box 3477 Evansville,            Indiana 47733, USA            Fon +1 812 8672 421            Fax +1 812 8670 547            www.anchorinc.com            info@r-zs.com</p>
	<p>SPAIN (RÖDER PARTNER) <b>19</b>            Foro Técnico S.L., Orient 78-84            ES-08172 St. Cugat del Valles            Barcelona, Spain            Tel: +34 93 544 18 60            Fax: +34 93 544 18 61            www.forotec.com            info@r-zs.com</p>		

---

# RÖDER Worldwide

---





---

**RÖDER ZELT- UND VERANSTALTUNGSSERVICE GMBH  
AM LAUTENSTEIN, 63654 BÜDINGEN ( GERMANY )**

**FON +49 6049 700 0  
FAX +49 6049 700 339**

**INFO@R-ZS.COM  
WWW.R-ZS.COM**



Mistakes, image errors, price alterations, technical modifications  
and dimension discrepancies reserved.